

## *Work Exempt from Campus Building Permit* (2016 CBC Section 105.2)

Permits & Inspections are Not Required for the following:

Exemptions from permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws or ordinances of this jurisdiction. Permits shall not be required for the following:

### **Building:**

- Oil derricks.
- Retaining walls that are not over 3 feet (1219 mm) in height measured from the bottom of the footing to the top of the wall, unless supporting a sur-charge or impounding Class I, II or IIIA liquids.
- Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work.
- **Temporary** motion picture, television and theater stage sets and scenery.
- Prefabricated swimming pools accessory to a Group R-3 occupancy that are less than 24 inches (610 mm) deep, are not greater than 5,000 gallons (18 925 L) and are installed entirely above ground.
- Swings and other playground equipment accessory to detached one- and two-family dwellings.
- Window awnings in Group R-3 and U occupancies, supported by an exterior wall that do not project more than 54 inches (1372 mm) from the exterior wall and do not require additional support.

### **Electrical:**

- **Repairs and maintenance:** Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles.

### **Gas:**

- Portable heating appliance.
- Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

### **Mechanical:**

- Portable heating appliance.
- Portable ventilation equipment.
- Portable cooling unit.
- Steam, hot or chilled water piping within any heating or cooling equipment regulated by this code.
- Replacement of any part that does not alter its approval or make it unsafe.
- Portable evaporative cooler.
- Self-contained refrigeration system containing 10 pounds (4.54 kg) or less of refrigerant and actuated by motors of 1 horsepower (0.75 kW) or less.

### **Plumbing:**

- The stopping of leaks in drains, water, soil, waste or vent pipe, provided, however, that if any concealed trap, drain pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.
- The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.